
Unique. Precise. Compact.

EVOLUTION 7403 | 7405

Unique! 4-sided milling with the new EVOLUTION 7405 4mat.



Unique Versatility and Performance






The technical data for the EVOLUTION series speaks for itself: Workpieces with height of up to 920 mm and unlimited length can be processed with the smallest possible space requirements.

Material thicknesses of 8 to 70 mm make the vertical machining centers from HOLZ-HER all-around machines for producing everything from drawers to casework and closet parts, furniture fronts and rear walls; in short complete machining of all your products.

The solid design of the EVOLUTION series guarantees you maximum machining quality and precision.

■ Simple programming

Equipped with a 19" monitor and the latest version of our user-friendly CAMPUS/NC Hops software. The truly comprehensive solution including aCADemy CAD, DXF import and versatile macros.



■ Full equipment

15 drilling spindles for 5 in-line holes each in X and Y directions as well as 6 horizontal drills and integrated sawing unit for quick and precise results (Fig. 1).

■ 100 % Precision – Your advantage!

Only the HOLZ-HER EVOLUTION 7405 **4mat** offers complete machining of the surface and all 4 edges of the workpiece. Perfect appearance – perfect fit! (Fig 2).

Shorter machining times

Easy on material and time saving, because workpieces with lengths of up to 1,300 mm can be machined completely without reclamping. Up to 35 % shorter machining cycles (Fig. 3).

Unique clamping concept

Fully automatic positioning of suction cups. Automatic adjustment to material thickness for optimum results and precise dimensions (Fig. 4).

■ Extremely versatile

With optional tool changing package for 6 tools, including 6.5 kW HSK spindle, the EVOLUTION is prepared for all challenges (Fig. 5).

Perfect access

The generous machine door offers a free view of the machining work, as well as easy access for installing tools.



| Maschine | EVOLUTION 7403 | EVOLUTION 7405 4mat |
|---|--|--|
| Machining dimensions in mm Max.: Min.: | 3,200 x 920 x 70 (without additional support) 200 x 70 x 8 | 3,200 x 920 x 70 (without additional support) 200 x 70 x 8 |
| Max. machining in X direc- | 1,450 mm edge milling (minus radius of cutter) | 1,450 mm edge milling (minus radius of cutter) |
| tion without reclamping | 1,300 mm for complete machining | 1,300 mm for complete machining |
| Drilling head | 15 Spindles (9 V 6 H), incl. sawing unit for grooving in X-direction | 15 Spindles (9 V 6 H), incl. sawing unit for grooving in X-direction |
| Cutter unit | 5.6 kW, with collet chuck 1,000 – 18,000 rpm | 5.6 kW, with collet chuck 1,000 – 18,000 rpm |
| | X | 6.5 kW, HSK chuck, 1,000 – 18.000 rpm |
| Tool changer | Χ | 6-position linear changer |
| Max. tool dimensions | Dia. 80 mm, length 80 mm | Dia. 80 mm, length 80 mm |
| Run-in linear stop | Fixed | Height adjustable for 4-sided edge milling and profiling |
| Vector speed | 68 m/min. | 68 m/min. |
| Protection equipment | CE compliant | CE compliant |
| Workpiece support | Solid roller beams incl. 2 stops | Solid roller beams incl. 2 stops |
| Waykainga damaing | Automatically positioning vacuum system | Automatically positioning vacuum system |
| Workpiece clamping | ECO-Vac 8 m³/h vacuum pump | ECO-Vac 8 m³/h vacuum pump |
| Software | CAMPUS/NC-HOPS incl. aCADemy CAD/CAM Machine license module | CAMPUS/NC-HOPS incl. aCADemy CAD/CAM Machine license module |

Product brochures and many videos are available at www.holzher.com



The technical data specified is intended for reference only. HOLZ-HER woodworking machines are subject to constant development and are therefore subject to modifi-cation without prior notice. The illustrations are therefore not binding. Some of the machines shown also contain special equipment not included as a standard feature. For clarity, some of the machines are shown without protective hood.

UK – HOLZ-HER 3195 30 – Printed in Germany/Imprimé en Allemagne Printed on: 17.5.2013 – First edition: 25.05.2013



HOLZ-HER GmbH Plochinger Straße 65 72622 Nürtingen Germany

T +49 (0) 70 22 702-0 kontakt@holzher.com www.holzher.com

A member of the WEINIG Group